SECTION 10 - WIRE AND CABLE

<u>Part</u>	<u>C</u>	Type & Subject	<u>Pages</u>	<u>Status</u>			
10.3 Recommended Wire and Cable							
10.3.10	38-1	Recommended Design Criteria for Line Wire	7	Reaffirmed 2015			
10.3.11	38-1	Recommended Design Criteria for Aluminum Conductors, Steel Reinforced (ACSR)	6	Reaffirmed 2015			
10.3.12	38-1	Recommended Design Criteria for Bond Strand	4	Revised 2016			
10.3.13	38-1	Recommended Design Criteria for Low-Smoke Halogen Free (LSHF) Polymeric Cable Jackets	5	Reaffirmed 2014			
10.3.14	38-1	Recommended Design Criteria for for Ethylene Tetrafluoroethylene Copolymer (ETFE) Insulated Signal Wire and Cable	12	Revised 2014			
10.3.15	38-1	Recommended Design Criteria for Insulated Signal Wire	7	Revised 2018			
10.3.16	38-1	Recommended Design Criteria for Signal Cable, Non-Armored	11	Revised 2019			
10.3.17	38-1	Recommended Design Criteria for Signal Cable, Armored	10	Revised 2018			
10.3.18	38-1	Recommended Design Criteria for Synthetic Rubber Insulation for Wire and Cable	3	Reaffirmed 2014			
10.3.19	38-1	Recommended Design Criteria for Ethylene-Propylene Rubber Insulation for Wire and Cable	4	Revised 2019			

- 1 -

Note: C = Committee responsible for Manual Part.

SECTION 10 – WIRE AND CABLE (Cont'd)

<u>Part</u>	<u>C</u>	Type & Subject	<u>Pages</u>	<u>Status</u>
10.3.20	38-1	Recommended Design Criteria for Neoprene, Chlorinated Polyethylene and Chlorosulfonated Polyethylene Jacketing for Wire and Cable	2	Reaffirmed 2014
10.3.21	38-1	Recommended Design Criteria for Polyethylene Insulation and Jacketing for Wire and Cable	4	Reaffirmed 2014
10.3.22	38-1	Recommended Design Criteria for Cross-Linked Polyethylene Insulation and Jacketing for Wire and Cable	4	Revised 2015
10.3.23	38-1	Recommended Design Criteria for Polyvinyl Chloride (PVC) Insulation and Jacketing for Wire and Cable	5	Revised 2016
10.3.24	38-1	Recommended Design Criteria for Ethylene Tetrafluoroethylene Copolymer (ETFE) Insulation and Jacketing for Wire and Cable	6	Reaffirmed 2015
10.3.25	38-1	Recommended Design Criteria for Zinc-Coated Steel Wire Strand	1	Reaffirmed 2016
10.3.26	38-1	Recommended Design Criteria for Cross-Linked Polyolefin Low Smoke, Zero Halogen Insulation for Wire and Cable	4	Revised 2019
10.3.27	38-1	Recommended Design Criteria for Cross-Linked Polyolefin/Fluoropolymer Insulation for Wire	. 8	New 2018
10.3.40	38-1	Purpose and Meaning of Terms Used in Recommended Design Criteria for Wire and Cable	3	Reaffirmed 2018

AREMA® C&S Manual

2019 (Includes 2019 Revisions) Volume 3

<u>Index</u>

SECTION 10 - WIRE AND CABLE (Cont'd)

<u>Part</u>	<u>C</u>	Type & Subject	<u>Pages</u>	<u>Status</u>				
10.4 Recommended Instructions								
10.4.1	38-1	Recommended Instructions for Wire and Cable Installation and Maintenance	9	Revised 2016				
10.4.30	38-1	Recommended Instructions for Insulation Resistance Testing	3	Revised 2015				